

according to Regulation (EC) No. 1907/2006

Revision Date 19.11.2012

Version 3.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 111586

Product name Potassium hydroxide solution c(KOH) = 0.5 mol/l (0.5 N) TitriPUR®

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Responsible Department EQ-RS * e-mail: prodsafe@merckgroup.com

Beeston * Nottingham * NG9 2JR * Tel. 01159 430840 *

information@merckchem.co.uk.

1.4 Emergency telephone

number

+49 (0) 6151 722440

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1B, H314 Corrosive to metals, Category 1, H290

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

C Corrosive R34

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word
Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006

Catalogue No. 111586

Product name Potassium hydroxide solution c(KOH) = 0.5 mol/l (0.5 N) TitriPUR®

H290 May be corrosive to metals.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word
Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

Labelling (67/548/EEC or 1999/45/EC)

Symbol(s) C Corrosive

R-phrase(s) 34 Causes burns.

S-phrase(s) 26-36/37/39-45 In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show

the label where possible).

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

3.1 Substance not applicable

3.2 Mixture

according to Regulation (EC) No. 1907/2006

Catalogue No. 111586

Product name Potassium hydroxide solution c(KOH) = 0.5 mol/l (0.5 N) TitriPUR®

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No. Registration number Classification

potassium hydroxide (>= 2 % - < 5 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

1310-58-3 01-2119487136-33- Skin corrosion, Category 1A, H314

XXXX Acute toxicity, Category 4, H302

Corrosive to metals, Category 1, H290

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hazardous components (1999/45/EC)

Chemical Name (Concentration)

CAS-No. Classification

potassium hydroxide (>= 2 % - < 5 %)

1310-58-3 Xn, Harmful; R22

C, Corrosive; R35

For the full text of the R-phrases mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

After skin contact: wash off with plenty of water. Immediately remove contaminated clothing. If available swab with polyethylene glycol 400. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, pain, collapse, Risk of corneal clouding. Drying-out effect resulting in rough and chapped skin.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

according to Regulation (EC) No. 1907/2006

Catalogue No. 111586

Product name Potassium hydroxide solution c(KOH) = 0.5 mol/l (0.5 N) TitriPUR®

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapours, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

No special precautionary measures necessary.

6.3 Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH⁻, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Requirements for storage areas and containers No aluminium, tin, or zinc containers. Tightly closed.

Store at +15°C to +25°C.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components

Basis Value Threshold Remarks

limits

potassium hydroxide (1310-58-3)

EH40 WEL Short Term Exposure 2 mg/m³

Limit (STEL):

Derived No Effect Level (DNEL)

potassium hydroxide (1310-58-3)

Worker DNEL, Local effects inhalation 1 mg/m³

longterm

according to Regulation (EC) No. 1907/2006

Catalogue No. 111586

Product name Potassium hydroxide solution c(KOH) = 0.5 mol/l (0.5 N) TitriPUR®

Consumer DNEL, Local effects inhalation 1 mg/m³

Iongterm

Recommended monitoring procedures

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

Predicted No Effect Concentration (PNEC)

potassium hydroxide (1310-58-3)

PNEC not applicable

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Nitrile rubber Glove thickness: 0.11 mm Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber Glove thickness: 0.11 mm Preak through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

according to Regulation (EC) No. 1907/2006

Catalogue No. 111586

Product name Potassium hydroxide solution c(KOH) = 0.5 mol/l (0.5 N) TitriPUR®

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

Colour colourless

Odour odourless

Odour Threshold No information available.

pH > 13.5

at 20 °C

Melting point No information available.

Boiling point No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapor density No information available.

Relative density 1.02 g/cm³

at 20 °C

Water solubility at 20 °C

soluble

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties No information available.

Oxidizing properties No information available.

9.2 Other data

Corrosion May be corrosive to metals.

according to Regulation (EC) No. 1907/2006

Catalogue No. 111586

Product name Potassium hydroxide solution c(KOH) = 0.5 mol/l (0.5 N) TitriPUR®

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Risk of explosion with:

Violent reactions possible with:

Metals, Light metals

(generation of hydrogen)

azides, Strong acids, anhydrides, Hydrocarbons, nonmetallic oxides, phosphorus, organic nitro compounds, halogen oxides, nonmetallic oxyhalides, Halogenated hydrocarbon, halogen-halogen compounds, halogens, Alkaline earth metals, ammonium compounds

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

animal/vegetable tissues, glass, various plastics, Metals

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach., Pain, collapse

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Lung oedema

Acute dermal toxicity

This information is not available.

Skin irritation

Drying-out effect resulting in rough and chapped skin.

Mixture causes burns.

Eye irritation

Mixture causes serious eye damage. Risk of blindness!

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 111586

Product name Potassium hydroxide solution c(KOH) = 0.5 mol/l (0.5 N) TitriPUR®

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Quantitative data on the toxicity of this product are not available.

Further data:

Handle in accordance with good industrial hygiene and safety practice.

Components

potassium hydroxide

Acute oral toxicity

LD50 rat: 273 mg/kg (RTECS)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Skin irritation

rabbit

Result: Causes burns.

(IUCLID)

Eye irritation

rabbit

Result: Causes burns.

(IUCLID)

Sensitisation

Sensitisation test: guinea pig

Result: negative

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Escherichia coli

Result: negative

(IUCLID)

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

according to Regulation (EC) No. 1907/2006

Catalogue No. 111586

Product name Potassium hydroxide solution c(KOH) = 0.5 mol/l (0.5 N) TitriPUR®

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Biological effects:

Harmful effect due to pH shift.

Caustic even in diluted form.

Further information on ecology

No ecological problems are to be expected when the product is handled and used with due care and attention.

Components

potassium hydroxide

Toxicity to fish

LC50 Gambusia affinis (Mosquito fish): 80 mg/l; 96 h (IUCLID)

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 13. Disposal considerations

Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 1814

14.2 Proper shipping name POTASSIUM HYDROXIDE SOLUTION

14.3 Class814.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions foryes

user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

according to Regulation (EC) No. 1907/2006

Catalogue No. 111586

Product name Potassium hydroxide solution c(KOH) = 0.5 mol/l (0.5 N) TitriPUR®

14.1 UN number UN 1814

14.2 Proper shipping name POTASSIUM HYDROXIDE SOLUTION

14.3 Class
14.4 Packing group
14.5 Environmentally hazardous
14.6 Special precautions for
no

user

Sea transport (IMDG)

14.1 UN number UN 1814

14.2 Proper shipping name POTASSIUM HYDROXIDE SOLUTION

14.3 Class814.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions foryes

user

EmS F-A S-B

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC

Legislation Directive 96/82/EC does not apply

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work.

National legislation

Storage class 8 B

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Full text of R-phrases referred to under sections 2 and 3

R22 Harmful if swallowed.
R34 Causes burns.
R35 Causes severe burns.

Training advice

Provide adequate information, instruction and training for operators.

according to Regulation (EC) No. 1907/2006

Catalogue No. 111586

Product name Potassium hydroxide solution c(KOH) = 0.5 mol/l (0.5 N) TitriPUR®

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.