Safety data sheet

according to Regulation (EC) No. 1907/2006



Schliessmann Schwäbisch Hall

Date: 26.02.2016

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Rebelein-Reagenz "SCHWEFEL 11" / Rebelein "Sulfur 11"

Article: 0052 f.

Chemical name:

Chemical name: Sodium hydroxide solution

Registration number: See section 3 for substances contained in the mixture

1.2 Relevant identified uses of the substance or mixture and uses advised Reagent for the analysis of beverages

against

1.3 Details of the supplier of the safety data sheet

C. Schliessmann Kellerei-Chemie GmbH & Co KG Company:

> Auwiesenstr. 5, D-74523 Schwäbisch Hall Tel. 0049-(0)791 / 97191 -0, Fax -25 E-Mail: service@c-schliessmann.de

Poison centre Freiburg: Tel. 0049-(0)761 / 19240 1.4 Emergency telephone number

2. Hazards identification

2.1 Classification of the substance or mixture

Met. Corr. 1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

2.2 Label elements according to Regulation (EC) No 1272/2008

Hazard pictograms:

Signal word: **DANGER**

sodium hydroxide **Hazardous compenent:**

H290 Hazard statements: May be corrosive to metals.

> H314 Causes severe skin burns and eye damage.

Precautionary

P280 statements:

Wear protective gloves / protective clothing / eye protection / face

protection.

P303+P361+P353

IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or a doctor.

2.3 Other hazards No informations available

3. Composition/information on ingredients

3.1 Substance The product is a mixture.

Mixture of substances listed below with water. 3.2 Mixtures

Version 02/2016

Dangerous component: sodium hydroxide

 Index Number:
 215-185-5

 CAS:
 1310-73-2

Reg.nr.: 01-2119457892-27-XXXX

Classification: Met. Corr. 1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Content: approx. 4 %

4. First aid measures

4.1 Description of first aid measures

After inhalation: Supply fresh air. Call a doctor.

After skin contact: Wash with water, swab with polyethylene glycol 400. Remove dirty

clothing immediately. Medical treatment!

After eye contact: Rinse opened eye for 10 minutes under running water. Immediately

consult a doctor.

After swallowing: Rinse out mouth and drink 2 glass of water, do not induce vomiting

(Risk of perforation!). Call for a doctor immediately. No attempt to

neutralize.

4.2 Most important symptoms and effects, both acute and delayed

After inhalation: Mucosal irritations, cough, breathlessness
After skin contact: Irritant and caustic effects, necrosis
After eye contact: Burns, necrosis, Risk of blindness!

After swallowing: Burns. Risk of perforation in the esophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5. Firefighting measures

5.0 Combustibility The product is not combustible.
 5.1 Suitable extinguishing agents Foam, powder, CO₂ or water spray

5.2 Special hazards arising from the

substance or mixture

Risk of explosion by hydrogen gas formation on contact with light

metals.

5.3 Advice for firefighters Extinguishing activities according to the environment; wear self-

contained respiratory protective device, avoid skin contact.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid substance contact. Don't breathe aerosols and fumes.

6.2 Environmental precautionsDilute with plenty of water. Do not allow to enter sewers/ground

water or penetrate the soil.

6.3 Methods and material for containment Absorb with liquid-absorbent and arrange removal by disposal

and cleaning up company. Clean up with water.

6.4 Reference to other sectionsSee Section 13 for disposal information.

7. Handling and storage

7.1 Precautions for safe handling See notes in Section 2 and 8.

7.2 Conditions for safe storage, including Keep well closed at 15-25°C, not in metal tins or containers.;

any incompatibilities separated from acids and foods.

7.3 Specific end use(s) See section 1.2

8. Exposure controls/personal protection

8.1 Control parameters

WEL (Great Britain): Short-term value sodium hydroxide: 2 mg/m³

8.2 Exposure controls

Personal protective equipment:

Respiratory protection: When vapours/aerosols are generated, Filter P2

Schliessmann Schwäbisch Hall Seite 3/4

Version 02/2016

Rebelein-Reagenz "SCHWEFEL 11" / Rebelein "Sulfur 11"

Eye protection: Tightly sealed glasses
Skin protection: Protective gloves

General hygiene considerations: Change contaminated clothing. Preventive skin protection. Wash

hands after working.

9. Physical and chemical properties

Physical state: Liquid Colour: Colourless Odour: Odourless pH-value: 13,7 (20°C) Melting temperature: Not available Boiling temperature: Not available Ignition temperature: Not applicable Not applicable Flash point: Danger of explosion: Not applicable Vapour pressure: Not available Density: 1,05 g/cm³ (20°C)

Solubility in water: Unlimited

10. Stability and reactivity

10.1 Reactivity See section 10.3

10.2 Chemical stabilityNo decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions Risk of explosion, formation of hydrogen gas when in contact with

metals, violent reaction with acids

10.4 Conditions to avoidNo information available.

10.5 Incompatible materials Various metals

10.6 Hazardous decomposition products In case of fire: see section 5.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity (sodium hydroxide):

LD50 (oral, rat): 2000 mg/kg

Subacute/chronic toxicity: No sensitizing effects known.

CMR effects:

Mutagenicity: Ames-test and tests with animals didn't show mutagenic or

teratogenic effects.

Carcinogenicity: No information available. Reproductive toxicity: No information available.

11.2 Further information See section 4 for symptoms after direct contact with the product;

Corrosive to the skin and mucous membranes of the eyes and respiratory tract. Can cause blindness. Causes deep skin necrosis during extended skin contact. Perforation of the esophagus and

stomach.

Systemic effects: collapse, death.

12. Ecological information

All Informations refer to: sodium hydroxide

12.1 Aquatic toxicity LC50 (96h) 125 mg/l (mosquito fish); damaging effect due to pH

shift

12.2 Persistence and degradability Not applicable.

12.3 Bioaccumulative potential 12.4 Mobility in soilNo further relevant information available.

No further relevant information available.

12.5 Results of PBT and vPvB assessment Not applicable.

12.6 Other adverse effectsNo further relevant information available.

13. Disposal considerations

Product must be disposed of as hazardous waste. Disposal according to official regulations. Little quantities may be rinsed away with plenty of water and diluted acid after careful neutralization.

14. Transport information

14.1 UN-Number

ADR, IMDG, IATA: UN 1824

14.2 UN proper shipping name

ADR: 1824 SODIUM HYDROXIDE SOLUTION SODIUM HYDROXIDE SOLUTION

14.3 Transport hazard class(es)

ADR: Class 8 / Corrosive substances, Label 8

classification code C5

Transport category 2 / LQ22 / 1 L

IMDG: Class 8 / Corrosive substances, Label 8

EmS: F-A S-B

IATA: Class 8 / Corrosive substances, Label 8

14.4 Packing group

ADR, IMDG, IATA:

14.5 Environmental hazardsMarine pollutant: No

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureInformation about limitation of use: Employment restrictions concerning juveniles must be observed.

Waterhazard class: 1 (slightly hazardous for water)

16. Other information

The informations provided on this SDS are correct to the best of our knowledge and information. These informations are designed as a guide for safe handling. They are no guarantee for specific chracteristics of the product.