Safety data sheet

according to Regulation (EC) No. 1907/2006

Schliessmann Schwäbisch Hall

33"

Date: 12.01.2016

1. Identification of the substance/mixture and of the company/undertaking		
1.1 Product identifier		
Product name:	Rebelein-Reagenz "SCHWEFEL 33" / Rebelein "SULFUR 3	
Article:	0056 f.	
Chemical name:	-	
Chemical name:	Sulphuric acid	
Registration number:	See section 3 for substances contained in the mixture	
A O Delever ('des d'fle des estat de	Descent for the such wish of her was as	

1.2 Relevant identified uses of the substance or mixture and uses advised against

Reagent for the analysis of beverages

1.3 Details of the supplier of the safety data sheet

Company:	C. Schliessmann Kellerei-Chemie GmbH & Co KG Auwiesenstr. 5, D-74523 Schwäbisch Hall Tel. 0049-(0)791 / 97191 -0, Fax -25 E-Mail: service@c-schliessmann.de

1.4 Emergency telephone number

Poison centre Freiburg: Tel. 0049-(0)761 / 19240

2. Hazards identification

2.1 Classification of the substance or mixture

Met. Corr. 1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

2.2 Label elements according to Regulation (EC) No 1272/2008

Hazard pictograms:



Signal word:

DANGER

Hazardous compenent:

sulphuric acid

Hazard statements:	H290 H314	May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary statements:	P280	Wear protective gloves / protective clothing / eye protection / face protection.
	P303+P361+P353	IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P309+P310	IF exposed or if you feel unwell: Call immediately a POISON CENTER or doctor/physician.
2.3 Other hazards		No informations available

3. Composition/information on ingredients

3.1 Substance

The product is a mixture.

3.2 Mixtures

Dangerous component: Index Number: CAS: Reg.nr.: Classification:

Content:

approx. 16 %

sulphuric acid

016-020-00-8

01-2119458838-20-0019

7664-93-9

4. First aid measures	
4.1 Description of first aid measure	9S
After inhalation:	Supply fresh air.
After skin contact:	Wash with water and soap. Unless contact has been slight obtain medical attention.
After eye contact:	Rinse opened eye for 10 minutes under running water. Then consult a doctor.
After swallowing:	Rinse out mouth and drink 2 glass of water. Obtain medical attention.

Mixture of substances listed below with water.

Met. Corr. 1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

4.2 Most important symptoms and effects, both acute and delayed

After inhalation:	Contact with mucous membranes causes damage of the mucous
	membranes.
After skin contact:	Severe burns under the formation of sloughs.
After eye contact:	Eye contact leads to corneal damage.
After swallowing:	Severe pain (risk of perforation!), nausea, vomitting, diarrhoea.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5. Firefighting measures	
5.0 Combustibility	The product is not combustible.
5.1 Suitable extinguishing agents	Adapted to the environmental fire. CO ₂ , powder or waterspray
5.2 Special hazards arising from the	Risk of hazardous vapours and toxic fumes in fire (sulphur oxides).
substance or mixture	
5.3 Advice for firefighters	Wear self-contained respiratory protective device.
	Wear fully protective suit.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear appropriate protective clothing. Don't breathe aerosols and fumes. 6.2 Environmental precautions Dilute with plenty of water. Do not allow to enter sewers/ground water or penetrate the soil. 6.3 Methods and material for containment Neutralize spilled product cautiously with soda ash, mop up with plenty of water and run to waste. Clean site of spillage thoroughly with water. 6.4 Reference to other sections See Section 13 for disposal information. 7. Handling and storage 7.1 Precautions for safe handling Avoid contact with skin and eyes. For dilution put the acid into the water, not the other way around. 7.2 Conditions for safe storage, including Keep well closed at 15-25°C, not in metal tins or containers. 7.3 Specific end use(s) See section 1.2 8. Exposure controls/personal protection

8.1 Control parameters WEL (Great Britain):

8.2 Exposure controls

Personal protective equipment: Respiratory protection:

Eye protection: Skin protection: General hygiene considerations: Suitable respiratory equipment when vapours/aerosols are generated. Safety glasses with side-shields or face-shield. Rubber or plastic gloves. In accordance with good industrial hygiene and safety practices. Application of skin-protective barrier cream recommended. Wash hands after working with substance.

9. Physical and chemical properties	
Physical state:	Liquid
Colour:	Colourless
Odour:	Odourless
pH-value:	1 (20°C)
Melting temperature:	-8°C
Boiling temperature:	102°C
Ignition temperature:	Not applicable
Flash point:	Not applicable
Danger of explosion:	No explosion hazard
Vapour pressure:	Not available.
Density:	1,10 g/cm³ (20°C)
Solubility in water:	Unlimited
10. Stability and reactivity	
10.1 Reactivity	Has a corrosive and oxidizing effect.
10.2 Chemical stability	No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous reactions	Development of heat in contact with alkali. Exothermic dissolution
10.5 T USSISING OF Hazardous reactions	process with water. Reacts with metals forming hydrogen (risk of
	explosion).
10.4 Conditions to avoid	Heating
10.5 Incompatible materials	Various metals
10.6 Hazardous decomposition products	
11. Toxicological information	
11. Toxicological information 11.1 Information on toxicological effects	
11. Toxicological information11.1 Information on toxicological effectsAcute toxicity (sulphuric acid):	
11. Toxicological information 11.1 Information on toxicological effects	2140 mg/kg
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): 	2140 mg/kg
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: 	
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: CMR effects: 	2140 mg/kg No sensitizing effects known.
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: 	2140 mg/kg No sensitizing effects known. Ames-test and tests with animals didn't show mutagenic or
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: CMR effects: Mutagenicity: 	2140 mg/kg No sensitizing effects known. Ames-test and tests with animals didn't show mutagenic or teratogenic effects.
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: CMR effects: Mutagenicity: Carcinogenicity: 	2140 mg/kg No sensitizing effects known. Ames-test and tests with animals didn't show mutagenic or teratogenic effects. No information available.
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: CMR effects: Mutagenicity: 	2140 mg/kg No sensitizing effects known. Ames-test and tests with animals didn't show mutagenic or teratogenic effects.
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: CMR effects: Mutagenicity: Carcinogenicity: 	2140 mg/kg No sensitizing effects known. Ames-test and tests with animals didn't show mutagenic or teratogenic effects. No information available.
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: CMR effects: Mutagenicity: Carcinogenicity: Reproductive toxicity: 	2140 mg/kg No sensitizing effects known. Ames-test and tests with animals didn't show mutagenic or teratogenic effects. No information available. No information available.
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: CMR effects: Mutagenicity: Carcinogenicity: Reproductive toxicity: 	2140 mg/kg No sensitizing effects known. Ames-test and tests with animals didn't show mutagenic or teratogenic effects. No information available. No information available.
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: CMR effects: Mutagenicity: Carcinogenicity: Reproductive toxicity: 11.2 Further information 	2140 mg/kg No sensitizing effects known. Ames-test and tests with animals didn't show mutagenic or teratogenic effects. No information available. No information available.
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: CMR effects: Mutagenicity: Carcinogenicity: Reproductive toxicity: 11.2 Further information 12. Ecological information 	2140 mg/kg No sensitizing effects known. Ames-test and tests with animals didn't show mutagenic or teratogenic effects. No information available. No information available. See section 4 for symptoms after direct contact with the product
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: CMR effects: Mutagenicity: Carcinogenicity: Reproductive toxicity: 11.2 Further information 12. Ecological information All Informations refer to: 12.1 Aquatic toxicity 12.2 Persistence and degradability 	2140 mg/kg No sensitizing effects known. Ames-test and tests with animals didn't show mutagenic or teratogenic effects. No information available. No information available. See section 4 for symptoms after direct contact with the product sulphuric acid LC50 (96h) 16-29 mg/l (Lepomis macrochirus) Not applicable.
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: CMR effects: Mutagenicity: Carcinogenicity: Reproductive toxicity: 11.2 Further information All Informations refer to: 12.1 Aquatic toxicity 	2140 mg/kg No sensitizing effects known. Ames-test and tests with animals didn't show mutagenic or teratogenic effects. No information available. No information available. See section 4 for symptoms after direct contact with the product sulphuric acid LC50 (96h) 16-29 mg/l (Lepomis macrochirus) Not applicable. No further relevant information available.
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: CMR effects: Mutagenicity: Carcinogenicity: Reproductive toxicity: 11.2 Further information 12. Ecological information All Informations refer to: 12.1 Aquatic toxicity 12.2 Persistence and degradability 12.3 Bioaccumulative potential 12.4 Mobility in soil 	2140 mg/kg No sensitizing effects known. Ames-test and tests with animals didn't show mutagenic or teratogenic effects. No information available. No information available. See section 4 for symptoms after direct contact with the product sulphuric acid LC50 (96h) 16-29 mg/l (Lepomis macrochirus) Not applicable. No further relevant information available. No further relevant information available.
 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity (sulphuric acid): LD50 (oral, rat): Subacute/chronic toxicity: CMR effects: Mutagenicity: Carcinogenicity: Reproductive toxicity: 11.2 Further information 12. Ecological information All Informations refer to: 12.1 Aquatic toxicity 12.2 Persistence and degradability 12.3 Bioaccumulative potential 	2140 mg/kg No sensitizing effects known. Ames-test and tests with animals didn't show mutagenic or teratogenic effects. No information available. No information available. See section 4 for symptoms after direct contact with the product sulphuric acid LC50 (96h) 16-29 mg/l (Lepomis macrochirus) Not applicable. No further relevant information available. No further relevant information available.

13. Disposal considerations

Product must be disposed of as hazardous waste. Disposal according to official regulations. Little quantities may be rinsed away with plenty of water after neutralization.

14. Transport information	
14.1 UN-Number ADR, IMDG, IATA:	UN 2796
14.2 UN proper shipping name ADR: IMDG, IATA:	2796 SULPHURIC ACID SULPHURIC ACID
14.3 Transport hazard class(es)	
ADR:	Class 8 / Corrosive substances, Label 8 classification code C1
IMDG:	Transport category 2 / LQ22 / 1 L Class 8 / Corrosive substances, Label 8 EmS: F-A S-B
IATA:	Class 8 / Corrosive substances, Label 8
14.4 Packing group ADR, IMDG, IATA:	II
14.5 Environmental hazards	Marine pollutant: No
15. Regulatory information	
15.1 Safety, health and environmental reg Information about limitation of use:	ulations/legislation specific for the substance or mixture Employment restrictions concerning juveniles must be observed.
Waterhazard class:	1 (slightly hazardous for water)

16. Other information

The informations provided on this SDS are correct to the best of our knowledge and information. These informations are designed as a guide for safe handling. They are no guarantee for specific chracteristics of the product.