# Safety data sheet

according to Regulation (EC) No. 1907/2006



# Schliessmann Schwäbisch Hall

Date: 26.02.2016

# 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Rebelein-Reagenz "SCHWEFEL 44" / Rebelein "Sulfur 44"

0058 f. Article:

Chemical name:

Chemical name: Solution of potassium iodide, starch and sodium hydroxide in water

Registration number: See section 3 for substances contained in the mixture

1.2 Relevant identified uses of the substance or mixture and uses advised

Reagent for the analysis of beverages

against

1.3 Details of the supplier of the safety data sheet

C. Schliessmann Kellerei-Chemie GmbH & Co KG Company:

> Auwiesenstr. 5, D-74523 Schwäbisch Hall Tel. 0049-(0)791 / 97191 -0, Fax -25 E-Mail: service@c-schliessmann.de

1.4 Emergency telephone number Poison centre Freiburg: Tel. 0049-(0)761 / 19240

## 2. Hazards identification

#### 2.1 Classification of the substance or mixture

No hazardous product.

2.2 Label elements according to Regulation (EC) No 1272/2008

Hazard pictograms: deleted Signal word: deleted

deleted **Hazardous compenent:** 

Hazard statements: deleted

**Precautionary** deleted

No informations available 2.3 Other hazards

#### 3. Composition/information on ingredients

3.1 Substance The product is a mixture.

Solution potassium iodide (approx. 2 %), starch (0,5 %) and sodium 3.2 Mixtures

hydoxide in water

Dangerous component: sodium hydroxide

Index Number: 215-185-5 CAS: 1310-73-2

01-2119457892-27-XXXX Reg.nr.:

Classification: Met. Corr. 1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Content: < 0,2 %

#### 4. First aid measures

Version 02/2016

## 4.1 Description of first aid measures

After inhalation: Supply fresh air.

After skin contact: Wash with plenty of water.

After eye contact: Rinse opened eye for 10 minutes under running water. In serve

cases obtain medical attention.

Rinse out mouth and drink two glasses of water. In case of After swallowing:

## 4.2 Most important symptoms and effects, both acute and delayed

Slight irritation possible. After inhalation: Slight irritation possible. After skin contact: After eye contact: Slight irritation possible. After swallowing: Slight irritation possible.

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5. Firefighting measures

5.0 Combustibility The product is not combustible. 5.1 Suitable extinguishing agents Foam, powder, CO<sub>2</sub> or water spray None

5.2 Special hazards arising from the

substance or mixture

Extinguishing activities according to the environment 5.3 Advice for firefighters

#### 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid substance contact. Don't breathe aerosols and fumes. 6.2 Environmental precautions Not necessary

**6.3 Methods and material for containment** Dilute with water and clean up.

and cleaning up

6.4 Reference to other sections See Section 13 for disposal information.

## 7. Handling and storage

7.1 Precautions for safe handling See notes in Section 2 and 8.

**7.2 Conditions for safe storage, including** Keep well closed at 15-25°C, not in metal tins or containers.

any incompatibilities

7.3 Specific end use(s) See section 1.2

## 8. Exposure controls/personal protection

#### 8.1 Control parameters

The product contains no relevant quantities of substances for WEL.

## 8.2 Exposure controls

Personal protective equipment:

Respiratory protection:

Eye protection: Safety glasses

Skin protection:

General hygiene considerations: Change contaminated clothing. Preventive skin protection. Wash

hands after working.

# 9. Physical and chemical properties

Physical state: Liquid

Colour: Colourless to slightly yellow

Odour: Odourless 11 (20°C) pH-value: Melting temperature: Not available Boiling temperature: Not available Ignition temperature: Not applicable Flash point: Not applicable Not applicable Danger of explosion:

Version 02/2016 Rebelein-Reagenz "SCHWEFEL 44" / Rebelein "Sulfur 44"

Vapour pressure: Not available
Density: 1,02 g/cm³ (20°C)

Solubility in water: Unlimited

10. Stability and reactivity

**10.1 Reactivity** See section 10.3

**10.2 Chemical stability**No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions 10.4 Conditions to avoid**May be corrosive to metals.

No information available.

10.5 Incompatible materials Light metals

**10.6 Hazardous decomposition products** In case of fire: see section 5.

## 11. Toxicological information

## 11.1 Information on toxicological effects

Acute toxicity (sodium hydroxide):

LD50 (oral, rat): 2000 mg/kg

Subacute/chronic toxicity: No sensitizing effects known.

CMR effects:

Mutagenicity: Ames-test and tests with animals didn't show mutagenic or

teratogenic effects.

Carcinogenicity: No information available. Reproductive toxicity: No information available.

Acute toxicity (potassium iodide):

LD50 (oral, rat): 2800 mg/kg

Subacute/chronic toxicity: For Iodide generally applies: Sensitization with allergic

manifestations in predisposed persons.

**11.2 Further information** See section 4 for symptoms after direct contact with the product

12. Ecological information

12.1 Aquatic toxicity LC50 (96h) 125 mg/l (mosquito fish); damaging effect due to pH

shift (sodium hydroxide)

LC50 (96h) 2200 mg/l (rainbow trout) (potassium iodide)

12.2 Persistence and degradability Not applicable.

**12.3 Bioaccumulative potential 12.4 Mobility in soil**No further relevant information available.

No further relevant information available.

12.5 Results of PBT and vPvB assessment Not applicable.

**12.6 Other adverse effects**No further relevant information available.

## 13. Disposal considerations

Product must be disposed of as hazardous waste. Disposal according to official regulations. Little quantities may be rinsed away with plenty of water and diluted acid after careful neutralization.

## 14. Transport information

14.1 UN-Number

ADR, IMDG, IATA: UN 1824

14.2 UN proper shipping name

ADR: 1824 SODIUM HYDROXIDE SOLUTION SODIUM HYDROXIDE SOLUTION

## 14.3 Transport hazard class(es)

Schliessmann Schwäbisch Hall Seite 4/4

Version 02/2016 Rebelein-Reagenz "SCHWEFEL 44" / Rebelein "Sulfur 44"

ADR: Class 8 / Corrosive substances, Label 8

classification code C5

Transport category 3 / LQ7 / 5L

IMDG: Class 8 / Corrosive substances, Label 8

EmS: F-A S-B

IATA: Class 8 / Corrosive substances, Label 8

14.4 Packing group

ADR, IMDG, IATA:

**14.5 Environmental hazards**Marine pollutant: No

# 15. Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Waterhazard class: not hazardous for water

## 16. Other information

The informations provided on this SDS are correct to the best of our knowledge and information. These informations are designed as a guide for safe handling. They are no guarantee for specific chracteristics of the product.