## Safety data sheet

according to Regulation (EC) No. 1907/2006



# Schliessmann Schwäbisch Hall

Date: 26.02.2016

#### 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Blaulauge 1/3N

Article: 0100 ff.

Chemical name: -

Chemical name: Ethanolic aqueous sodium hydroxide solution with color indicator

Registration number: See section 3 for substances contained in the mixture

1.2 Relevant identified uses of the substance or mixture and uses advised

against

Reagent for the analysis of beverages

1.3 Details of the supplier of the safety data sheet

Company: C. Schliessmann Kellerei-Chemie GmbH & Co KG

Auwiesenstr. 5, D-74523 Schwäbisch Hall Tel. 0049-(0)791 / 97191 -0, Fax -25 E-Mail: service@c-schliessmann.de

**1.4 Emergency telephone number** Poison centre Freiburg: Tel. 0049-(0)761 / 19240

#### 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Met. Corr. 1 H290 May be corrosive to metals.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements according to Regulation (EC) No 1272/2008

Hazard pictograms:

statements:

Signal word: WARNING

Hazardous compenent: sodium hydroxide

**Hazard statements:** H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

**Precautionary** P280 Wear protective gloves / protective clothing / eye protection / face

protection.

P302+P352 IF ON SKIN: Wash with plenty of water an soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards No informations available

### 3. Composition/information on ingredients

**3.1 Substance** The product is a mixture.

Schliessmann Schwäbisch Hall Seite 2/4 Version 02/2016 Blaulauge 1/3N

3.2 Mixtures Sodium hydroxide solution in water with ethanol and indicator (<

0,05 % bromthymolblue)

Dangerous component: sodium hydroxide

Index Number: 215-185-5 CAS: 1310-73-2

Rea.nr.: 01-2119457892-27-XXXX

Met. Corr. 1 H290 May be corrosive to metals. Classification:

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Content: 1-2 %

Dangerous component: ethanol Index Number: 603-002-00-5 CAS: 64-17-5

Reg.nr.: 01-2119457610-43-XXXX

Classification: Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Content: < 5 %

#### 4. First aid measures

#### 4.1 Description of first aid measures

After inhalation: Supply fresh air. In case of complaints call a doctor.

After skin contact: Wash with water and soap. In case of complaints call a doctor. After eye contact: Rinse opened eye for 10 minutes under running water. Immediately

consult a doctor.

After swallowing: Rinse mouth and drink plenty of water in small sips. Call for a

doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

After inhalation: Mucosal irritations, cough

After skin contact: Irritations.

After eye contact: Heavy irritations, Risk of serious damage!

Mucosal irritations After swallowing:

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5. Firefighting measures

5.0 Combustibility The product is not combustible. 5.1 Suitable extinguishing agents Foam, powder, CO<sub>2</sub> or water spray

Risk of explosion by hydrogen gas formation on contact with light 5.2 Special hazards arising from the

metals or by warming. substance or mixture

5.3 Advice for firefighters Extinguishing activities according to the environment; wear selfcontained respiratory protective device, avoid skin contact.

#### 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid substance contact. Don't breathe aerosols and fumes.

Dilute with plenty of water. Do not allow to enter sewers/ground 6.2 Environmental precautions

water or penetrate the soil.

6.3 Methods and material for containment Absorb with liquid-absorbent and arrange removal by disposal

company. Clean up with water. and cleaning up

6.4 Reference to other sections See Section 13 for disposal information.

## 7. Handling and storage

7.1 Precautions for safe handling

7.2 Conditions for safe storage, including

any incompatibilities

See notes in Section 2 and 8.

Keep well closed at 15-25°C, not in metal tins or containers.;

separated from acids and foods.

7.3 Specific end use(s) See section 1.2

#### 8. Exposure controls/personal protection

8.1 Control parameters

WEL (Great Britain): Short-term value sodium hydroxide: 2 mg/m³

8.2 Exposure controls

Personal protective equipment:

Respiratory protection: When vapours/aerosols are generated, Filter P2

Eye protection: Tightly sealed glasses Skin protection: Protective gloves

General hygiene considerations: Change contaminated clothing. Preventive skin protection. Wash

hands after working.

9. Physical and chemical properties

Physical state: Liquid Colour: blue

Odour: Slightly alcoholic pH-value: 13,5 (20°C)
Melting temperature: Not available Boiling temperature: Not available Ignition temperature: Not applicable Flash point: > 65°C

Danger of explosion:

Vapour pressure:

Density:

Not applicable

Not available

0,99 g/cm³ (20°C)

Solubility in water: Unlimited

10. Stability and reactivity

**10.1 Reactivity** See section 10.3

**10.2 Chemical stability**No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions Risk of explosion, formation of hydrogen gas when in contact with

metals, violent reaction with acids

**10.4 Conditions to avoid** Heating

**10.5 Incompatible materials** Various metals

**10.6 Hazardous decomposition products** In case of fire: see section 5.

#### 11. Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity (sodium hydroxide):

LD50 (oral, rat): 2000 mg/kg

Subacute/chronic toxicity: No sensitizing effects known.

CMR effects:

Mutagenicity: Ames-test and tests with animals didn't show mutagenic or

teratogenic effects.

Carcinogenicity: No information available. Reproductive toxicity: No information available.

Acute toxicity (ethanol):

LD50 (oral, rat): 6000 mg/kg

Subacute/chronic toxicity: No sensitizing effects known.

**11.2 Further information** See section 4 for symptoms after direct contact with the product;

Irritating to the skin and mucous membranes of the eyes and

respiratory tract.

12. Ecological information

All Informations refer to: sodium hydroxide

**12.1 Aquatic toxicity** LC50 (96h) 125 mg/l (mosquito fish); damaging effect due to pH

shift

12.2 Persistence and degradability Not applicable.

12.3 Bioaccumulative potential12.4 Mobility in soilNo further relevant information available.

12.5 Results of PBT and vPvB assessment Not applicable.

**12.6 Other adverse effects**No further relevant information available.

#### 13. Disposal considerations

Product must be disposed of as hazardous waste. Disposal according to official regulations. Little quantities may be rinsed away with plenty of water and diluted acid after careful neutralization.

## 14. Transport information

14.1 UN-Number

ADR, IMDG, IATA: UN 1824

14.2 UN proper shipping name

ADR: 1824 SODIUM HYDROXIDE SOLUTION IMDG, IATA: SODIUM HYDROXIDE SOLUTION

14.3 Transport hazard class(es)

ADR: Class 8 / Corrosive substances, Label 8

classification code C5

Transport category 3 / LQ7 / 5L

IMDG: Class 8 / Corrosive substances, Label 8

EmS: F-A S-B

IATA: Class 8 / Corrosive substances, Label 8

14.4 Packing group

ADR, IMDG, IATA:

**14.5 Environmental hazards**Marine pollutant: No

#### 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Waterhazard class: 1 (slightly hazardous for water)

## 16. Other information

The informations provided on this SDS are correct to the best of our knowledge and information. These informations are designed as a guide for safe handling. They are no guarantee for specific chracteristics of the product.