# Safety data sheet

according to Regulation (EC) No. 1907/2006



# Schliessmann Schwäbisch Hall

Date: 26.02.2016

## 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Rebelein-Reagenz "ZUCKER 3" / Rebelein "SUGAR 3"

Article: 0029 f.

Chemical name: -

Chemical name: Solution of potassium iodide and sodium hydroxide in water Registration number: See section 3 for substances contained in the mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Reagent for the analysis of beverages

1.3 Details of the supplier of the safety data sheet

Company: C. Schliessmann Kellerei-Chemie GmbH & Co KG

Auwiesenstr. 5, D-74523 Schwäbisch Hall Tel. 0049-(0)791 / 97191 -0, Fax -25 E-Mail: service@c-schliessmann.de

**1.4 Emergency telephone number** Poison centre Freiburg: Tel. 0049-(0)761 / 19240

## 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements according to Regulation (EC) No 1272/2008

Hazard pictograms:

**\** 

Signal word: WARNING

Hazardous compenent: sodium hydroxide

**Hazard statements:** H315 Causes skin irritation.

H319 Causes serious eye irritation.

**Precautionary** P302+P352 IF ON SKIN: Wash with plenty of water an soap.

statements: P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards No informations available

# 3. Composition/information on ingredients

**3.1 Substance** The product is a mixture.

3.2 Mixtures Solution of potassium iodide (approx. 30 %) and sodium hydroxide

Dangerous component: sodium hydroxide

Index Number: 215-185-5 CAS: 1310-73-2 Version 02/2016 Rebelein-Reagenz "ZUCKER 3" / Rebelein "SUGAR 3"

01-2119457892-27-XXXX Reg.nr.:

Classification: Met. Corr. 1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Content: < 1 %

## 4. First aid measures

#### 4.1 Description of first aid measures

After inhalation: Supply fresh air.

After skin contact: Wash with water and soap.

After eve contact: Rinse opened eye for 10 minutes under running water. Then consult

a doctor.

After swallowing: Rinse out mouth and drink two glasses of water. Call for a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

After inhalation: Irritations. After skin contact: Irritations.

After eve contact: Heavy irritations, Risk of serious damage!

After swallowing: After absorption of toxic amounts of potassium iodid:

Blood pressure decrease, paralysis, excitation, heartburn.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5. Firefighting measures

5.0 Combustibility The product is not combustible. 5.1 Suitable extinguishing agents Foam, powder, CO<sub>2</sub> or water spray

5.2 Special hazards arising from the

substance or mixture

5.3 Advice for firefighters Extinguishing activities according to the environment; wear self-

Not known.

contained respiratory protective device, avoid skin contact.

## 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid substance contact. Don't breathe aerosols and fumes. 6.2 Environmental precautions Not necessary

**6.3 Methods and material for containment** Dilute with water and clean up.

and cleaning up

6.4 Reference to other sections See Section 13 for disposal information.

#### 7. Handling and storage

7.1 Precautions for safe handling See notes in Section 2 and 8.

7.2 Conditions for safe storage, including Keep well closed at 15-25°C, not in metal tins or containers.

any incompatibilities

See section 1.2 7.3 Specific end use(s)

## 8. Exposure controls/personal protection

## 8.1 Control parameters

WEL (Great Britain): Short-term value sodium hydroxide: 2 mg/m<sup>3</sup>

## 8.2 Exposure controls

Personal protective equipment:

Respiratory protection: When vapours/aerosols are generated, Filter P2

Eye protection: Tightly sealed glasses Skin protection: Protective gloves

General hygiene considerations: Change contaminated clothing. Preventive skin protection. Wash

hands after working.

## 9. Physical and chemical properties

Physical state: Liquid Schliessmann Schwäbisch Hall Seite 3/4

Version 02/2016

Rebelein-Reagenz "ZUCKER 3" / Rebelein "SUGAR 3"

Colour: Colourless to slightly yellow

Odour: Odourless 13 (20°C) pH-value: Melting temperature: Not available Boiling temperature: Not available Ignition temperature: Not applicable Flash point: Not applicable Danger of explosion: Not applicable Vapour pressure: Not available 1,22 g/cm<sup>3</sup> (20°C) Density:

Solubility in water: Unlimited

10. Stability and reactivity

**10.1 Reactivity** See section 10.3

**10.2 Chemical stability**No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions** Violent reaction with oxidizing agents possible; may be corrosive to

metals.

**10.4 Conditions to avoid**No information available.

**10.5 Incompatible materials** Light metals

**10.6 Hazardous decomposition products** In case of fire: see section 5.

#### 11. Toxicological information

## 11.1 Information on toxicological effects

Acute toxicity (sodium hydroxide):

LD50 (oral, rat): 2000 mg/kg

Subacute/chronic toxicity: No sensitizing effects known.

CMR effects:

Mutagenicity: Ames-test and tests with animals didn't show mutagenic or

teratogenic effects.

Carcinogenicity: No information available. Reproductive toxicity: No information available.

Acute toxicity (potassium iodide):

LD50 (oral, rat): 2800 mg/kg

Subacute/chronic toxicity: For Iodide generally applies: Sensitization with allergic

manifestations in predisposed persons.

**11.2 Further information**See section 4 for symptoms after direct contact with the product

12. Ecological information

**12.1 Aquatic toxicity** LC50 (96h) 125 mg/l (mosquito fish); damaging effect due to pH

shift (sodium hydroxide)

LC50 (96h) 2200 mg/l (rainbow trout) (potassium iodide)

12.2 Persistence and degradability Not applicable.

**12.3 Bioaccumulative potential 12.4 Mobility in soil**No further relevant information available.

No further relevant information available.

12.5 Results of PBT and vPvB assessment Not applicable.

**12.6 Other adverse effects**No further relevant information available.

## 13. Disposal considerations

Product must be disposed of as hazardous waste. Disposal according to official regulations. Little quantities may be rinsed away with plenty of water and diluted acid after careful neutralization.

## 14. Transport information

#### 14.1 UN-Number

ADR, IMDG, IATA: UN 1824

14.2 UN proper shipping name

ADR: 1824 SODIUM HYDROXIDE SOLUTION IMDG, IATA: SODIUM HYDROXIDE SOLUTION

14.3 Transport hazard class(es)

ADR: Class 8 / Corrosive substances, Label 8

classification code C5

Transport category 3 / LQ7 / 5L

IMDG: Class 8 / Corrosive substances, Label 8

EmS: F-A S-B

IATA: Class 8 / Corrosive substances, Label 8

14.4 Packing group

ADR, IMDG, IATA:

**14.5 Environmental hazards**Marine pollutant: No

## 15. Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Waterhazard class: 1 (slightly hazardous for water)

## 16. Other information

The informations provided on this SDS are correct to the best of our knowledge and information. These informations are designed as a guide for safe handling. They are no guarantee for specific chracteristics of the product.