

## Safety Data Sheet dated 10/4/2015, version 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name: ZOLFO DISCHI 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: FOR PROFESSIONAL USE 1.3. Details of the supplier of the safety data sheet Company: Esseco S.r.I. Via San Cassiano 99 28069 - Trecate (NO) Italy Enartis - Phone n. +39-0321-790300 Competent person responsible for the safety data sheet: vino@enartis.it 1.4. Emergency telephone number Enartis - Phone n. +39-0321-790300

**SECTION 2: Hazards identification** 

2.1. Classification of the substance or mixture Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof: Properties / Symbols: X Xi Irritant R Phrases: R38 Irritating to skin. EC regulation criteria 1272/2008 (CLP) Warning, Skin Irrit. 2, Causes skin irritation. Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements Symbols: Warning Hazard statements: H315 Causes skin irritation. Precautionary statements: P280 Wear protective gloves/clothing. P302+P352 IF ON SKIN: Wash with plenty of water. P332+P313 If skin irritation occurs: Get medical advice/attention. Special Provisions: None Special provisions according to Annex XVII of REACH and subsequent amendments: None 2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards



3.1. Substances

N.A. 3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

>= 50% - < 60% SULPHUR REACH No.: 01-2119487295-27-XXXX, Index number: 016-094-00-1, CAS: 7704-34-9, EC: 231-722-6 Xi; R38 \$\vdots\$ 3.2/2 Skin Irrit, 2 H315

>= 30% - < 40% BENTONITE CAS: 1302-78-9, EC: 215-108-5 substance with a Community workplace exposure limit

# **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Induce vomiting. SEEK A MEDICAL EXAMINATION IMMEDIATELY and present the safety-data sheet.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

None

## **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media:
    - Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into

ZLFDS2(0415)3 Page n. 2 of 7



drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

#### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

- 7.2. Conditions for safe storage, including any incompatibilities
- Always keep the containers tightly closed. Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight. Avoid accumulating electrostatic charge. Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises.
  - 7.3. Specific end use(s) None in particular

## **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters BENTONITE - CAS: 1302-78-9 TLV TWA - 0,05 mg/m3
DNEL Exposure Limit Values N.A.
PNEC Exposure Limit Values N.A.
8.2. Exposure controls
Eye protection: Not needed for normal use. Anyway, operate according good working practices.
Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection.

ZLFDS2(0415)3 Page n. 3 of 7



Respiratory protection: Use adequate protective respiratory equipment. Thermal Hazards: None Environmental exposure controls: None

<b>SECTION 9: Physical and chemical</b>	pro	pertie	S
9.1. Information on basic physical ar	nd cl	hemica	al p

9.1. Information on basic physical and	d chemic	al propert	ies
Appearance and colour:	3		
Ödour:	Charac	teristic	
Odour threshold:	N.A.		
pH:	N.A.		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling r	ange:	N.A.	
Solid/gas flammability:	Ň.A.		
Upper/lower flammability or ex	plosive lir	nits:	N.A.
Vapour density:	N.A.		
Flash point:	N.A.		
Evaporation rate:	N.A.		
Vapour pressure:	N.A.		
Relative density:	N.A.		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient (n-octanol/	water):	N.A.	
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
Viscosity:	N.A.		
Explosive properties:	N.A.		
Oxidizing properties:	N.A.		
9.2. Other information			
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		
Substance Groups relevant pro	operties	N.A.	

#### **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
  - Stable under normal conditions
- 10.2. Chemical stability
- Stable under normal conditions 10.3. Possibility of hazardous reactions
- None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials
- Acids, alkalis, halogenated compounds, oxidants
- 10.6. Hazardous decomposition products Toxic gases

#### **SECTION 11: Toxicological information**

- 11.1. Information on toxicological effects
- Toxicological information of the mixture:
  - N.A.
- Toxicological information of the main substances found in the mixture: N.A.

ZLFDS2(0415)3 Page n. 4 of 7

# ZOLFO DISCHI

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

#### **SECTION 12: Ecological information**

- 12.1. Toxicity
  - Adopt good working practices, so that the product is not released into the environment. N.A.
- 12.2. Persistence and degradability N.A.
- 12.3. Bioaccumulative potential
  - N.A.
- 12.4. Mobility in soil N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

## **SECTION 14: Transport information**

- 14.1. UN number
  - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
  - N.A.
- 14.3. Transport hazard class(es) N.A.
- 14.4. Packing group
- N.A.
- 14.5. Environmental hazards
- 14.6. Special precautions for user

N.A.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N.A.

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances) Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations) Dir. 2000/39/EC (Occupational exposure limit values) Dir. 2006/8/EC Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

ZLFDS2(0415)3 Page n. 5 of 7



Regulation (EU) n. 453/2010 (Annex I) Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Where applicable, refer to the following regulatory provisions : Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

15.2. Chemical safety assessment No

#### **SECTION 16: Other information**

Full text of phrases referred to in Section 3: R38 Irritating to skin.

H315 Causes skin irritation.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert here further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
00/0445)0	

ZLFDS2(0415)3 Page n. 6 of 7



N.A.:	Not Available
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day.
	(ACGIH Standard).
WGK:	German Water Hazard Class.